

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 20-05-2004		2. REPORT TYPE Final Report		3. DATES COVERED 1 Dec. 2001 - 31 Dec. 2002	
4. TITLE AND SUBTITLE Analysis of Sperm whale Acoustic Signals in the Gulf of Mexico and the Mediterranean				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER N00014-02-1-0448	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Auron Thode				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) MPL/ SIO/ UCSD 9500 Gilman Dr La Jolla CA 92093-0238				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 N. Quincy St. Arlington VA 22217-5000				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Distribution Unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Self-explanatory <div style="float: right; border: 1px solid black; padding: 5px; font-size: 2em; font-weight: bold;">20040526 051</div>					
15. SUBJECT TERMS sperm whale, ocean acoustics, marine mammal mitigation					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (include area code)
Unclass.	Unclass.	Unclass.	UL	3	Auron Thode 858-822-4864

Best Available Copy

Standard Form 298 (Rev. 8/98)
Prescribed by ANSI Std. Z39.18

FINAL REPORT

GRANT #: N00014-02-1-0448 (see also N00014-02-1-0187)

PRINCIPAL INVESTIGATOR: Aaron M Thode

INSTITUTION: Marine Physical Laboratory, Scripps Institution of Oceanography

GRANT TITLE: Analysis of Sperm Whale Acoustic Signals in the Gulf of Mexico and the Mediterranean

AWARD PERIOD: 1 December 2001 - 31 December 2002

OBJECTIVE: To design, develop, and simulate an automated procedure for passively tracking sperm whales in three-dimensions, using natural vocalizations recorded on two towed arrays, deployed either alone or in conjunction with dive tags. The algorithms would permit automated tracking of multiple animals over complete dive cycles, producing statistically significant sample sizes for evaluation of controlled-exposure studies. When used in conjunction with a dive tag, the algorithm would permit better resolution tracking of animals detected on both the tag in array, effectively increasing the number of animals tracked by the tag.

APPROACH: Previous work by the PI had shown that 3D tracking of sperm whales is possible using a single towed array, using multi-path reflections from the ocean surface and bottom. However, the resulting algorithm was difficult to automate and required substantial effort by a human, yielding only one 3D trajectory per ten hours of work. In addition, the bottom returns were detected only sporadically, during times when the animals were in their initial descent to presumed foraging depth. During feeding and/or social behavior the bottom returns are usually absent.

To overcome these difficulties, a new algorithm was been developed, using two spatially-separated towed arrays deployed from a single vessel to record both the direct and surface reflections of sounds. The automated detection and classification of direct and surface paths is considerably simpler than that required for bottom returns, but requires information about the array depths to be effective. The results would have lower depth resolution than those obtained using bottom returns, but could be computed automatically, reducing the processing time to an estimated 15 minutes per trajectory. Thus the technique is designed to produce large numbers of low-resolution tracks, as opposed to a single high-resolution track generated by an

tagged animal. The technique will also only work on acoustically active animals.

If one of the animals present has an acoustic tag, the algorithm can be extended to time-sync the tag with the array record, effectively creating a large-aperture array. This approach would provide much more precise localizations of all vocalizing animals, at the cost of requiring a tagged animal to be present.

ACCOMPLISHMENTS: The localization algorithms were written and tested in simulation in 2002. The automated data extraction algorithms were written using both MATLAB and the software package Ishmael (written by David Mellinger of Oregon State University under ONR support). The algorithms were successfully tested on field data in 2002 and 2003 under ONR N00014-02-1-0187, and additional support from the Minerals Management Service (MMS). A peer-reviewed publication has resulted from this work, and MMS and the North Pacific Research Board (NPRB) are currently funding research that exploits this technique.

CONCLUSIONS: The use of surface-reflected multipath to track sperm whales in range in depth has been found to be a robust technique that can be used with either a towed horizontal array or a bottom-mounted vertical array. The technique was found to be easily automated, using standard signal-processing software found in the public domain.

SIGNIFICANCE:

The demonstration of the technique is expected to yield 1-3 trajectories per half-hour of recording time, if a group of animals is being followed. Over the course of a night (7 hours) one might reasonably expect to obtain at least 25 tracks, a credible sample size for studying variables such as dive descent time, maximum depth obtained, and the depth at which "creak" sounds begin. The success of this algorithm would provide an inexpensive and rapid way of collecting statistically significant numbers of animal track for future environmental impact studies conducted by the division and other interested parties. Some of these predictions are being tested in the Gulf of Mexico in 2004, as part of the Sperm Whale Seismic Study (SWSS).

The algorithm used here is also being use to examine how sperm whales remove fish from longline fishing gear in the Gulf of Alaska, to gain insight into possible means of reducing the depredation without harming the animals.

AWARD INFORMATION: Work presented here lead to contracts with MMS and the North Pacific Research Board (North Pacific F0412) to apply the results of this research to sperm whale behavioral studies.

RELEVANT PUBLICATIONS AND ABSTRACTS:

1. Thode, A., Millinger, D.K., Martinez, A. (2002) Passive three-dimensional tracking of sperm whales using two towed arrays during the 2001 SWAMP cruise. Abstract presented at Dec 2002, Acous. Soc. Am. 144th conference proceedings, Cancun, Mexico.

2. Thode, A (2004) Tracking sperm whale (*Physeter macrocephalus*) dive profiles using a towed passive acoustic array. J. Acous. Soc. Am., in press.